Abridged version

KAWASAKI STEEL TECHNICAL REPORT No.42 (May 2000)

Copper Segregation-free Premixed Iron Powder for Powder Metallurgy

Satoshi Uenosono, Hiroshi Sugihara, Kuniaki Ogura


Synopsis:


Kawasaki Steel has developed two kinds of copper segregation-free premixed iron powders. One is "binder treated type" segregation-free iron powder, in which fine copper powders are adhered on surface of iron powder by the binder and the other is "partially alloyed type" segregation-free iron powder. The characteristics of these two types of powders such as compressibility, Rattler value and ejection force are almost equal to those of conventional segregation-free iron powder, and the properties of sintered products, including tensile strength, Charpy impact value and dimensional change, are almost equal to those made of conventional segregation-free iron powder. The "partially alloyed type" segregation-free iron powder reduces the segregation of copper by 70% and improves dimensional accuracy by 20% compared with conventional segregation-free iron powder.


(c) JFE Steel Corporation, 2003

The body can be viewed from the next page.

Copper Segregation-free Premixed Iron Powder for Powder Metallurgy*









	exploration of comments of the second	
<u>。</u> ···	WAREN	
e _t		
γ <u>ι-α. · · · · · · · · · · · · · · · · · · ·</u>		
F 1.		
}		
l w		
د۱		
}		
, ·		
· 		
L L		
· · · · · · · · · · · · · · · · · · ·		
•		
•		
	-	
_		
	simultaneously, which had been difficult with conven-	conventional one.
	tional segregation-free powder. The new powders are a binder treated type, in which fine copper powder is	(3) The partially alloyed type powder causes copper segregation to reduce by 70% and improve dimen-
	made to adhere to the surface of the iron powder by	sional accuracy by 20% compared with the conven-
**	<u>white pixels and a manifeller allowed a manifeller alor</u>	1 - 1 - 1
TA"		
•		
Ĩ.		
[` '		
<u></u>		
· <u>- </u>	-	
Į.		

Ā