


	WALL THE TRANSPORT OF THE PARTY	
)		
<u>.                                    </u>		
	Eggipe P.: B B B B St	
<b>1</b> 4 _		
1 .		
_		
, -		
1 👿		
1		
•		
<b>~</b>		
<del>-</del>		
# <b>=</b>		

Table 1 Typical secondary working processed for special steels

	Steel	Por - Sheering - N	Se Sedeining 5 (	condary working		Final products
`						
<b>ī</b> -						
	1					
					i.	
_						
					I	
<u>i =                                   </u>						
k <u></u>						
<u> </u>						
£						
<b>P.</b>						
-						
					ī	
	•					
	***************************************	108				
1	<del></del>	<u> </u>	L. 0			
T'						
					•	
	r.					
<u> </u>						
II.						
· · ·						
<u> </u>						
4						
1						
Į.						
-						
	<u> </u>					
	<u> </u>					
<del> </del>						
<u> </u>				<u> </u>	<u> </u>	







point of view, Kawasaki Steel intends to keep develop-  2) M. Okaras, T. Hayashi, and K. Amaro: Krasmaki Steel Gibo, 30,100833, 131		
MI SORT ELL		total process from steelpolars to and users From this Takkoukoukoi (1006) 71
74/1998/1 111		
20/199893 137		
TACTORENT III		
No. 100503 131		
MI 1988)3 [12]		
10/19893 131		
10/109833 13/	-	
10/19893 11/		
W 19881 111	•	
		point of view, Kawasaki Steel intends to keep develop-  2) M. Okatsu, T. Hayashi, and K. Amano: Kawasaki Steel Giho,
	4	
	<u></u>	
	_	
	<u> </u>	
	د ک	
	<u>-</u> .	
·		
	ī	
		0