[illegible] 0.04%–1.3% [illegible] 0.1%–0.2% [illegible]. A [illegible] α- [illegible] 120 [illegible] 900 [illegible] A [illegible] 7 [illegible] b [illegible] [3]. [illegible] 2 [illegible] 0 [illegible] 0 [illegible] A [illegible].



2.2 XAFS Measurements

[illegible] A [illegible] ab [illegible] b [illegible] ab [illegible] A [illegible] ab [illegible] A [illegible] ab [illegible] A [illegible] b [illegible] b [illegible] A [illegible] ab [illegible] b [illegible] ab [illegible] A [illegible] B227B [illegible] A [illegible] (2. [illegible] ba, ba [illegible]) [illegible] (111) [illegible] 4 [illegible] A [illegible] 2 [illegible] A [illegible] 1 × 10 [illegible] a [illegible].

3. Results and Discussions

3.1 Change of XAFS Spectra with Coiling Temperature

Figure 1 [illegible] A [illegible] 30 [illegible] (b), 7 [illegible] (c), a 7 [illegible] ( ). [illegible] 900 [illegible] (a) a [illegible] b [illegible] (c) a [illegible].

[illegible] A [illegible] b [illegible] ab [illegible] (A [illegible]) [illegible] ab [illegible] 0 [illegible] (20 020 [illegible] 20 080 [illegible] 1) [illegible] b [illegible] A [illegible] ab [illegible] (A [illegible]) [illegible] A [illegible] (a [illegible] ab 20 080 [illegible] 1). A [illegible] b [illegible] b.

[illegible] A [illegible] (b) [illegible] 30 [illegible] ab [illegible] 900 [illegible] (a). [illegible] A [illegible] ab 20 030 [illegible] a [illegible] (c) a ( ) [illegible] 7 [illegible] a 7 [illegible] ab [illegible] (c).

[illegible] a [illegible] A [illegible] ([illegible] a 20 120 [illegible], 20 190 [illegible], a 20 270 [illegible] a [illegible]) [illegible] ([illegible]) [illegible] 3- [illegible] A [illegible] a [illegible] b a [illegible] 1 a [illegible]

Fig. 2. [illegible] b [illegible] 900 [illegible] b [illegible] 1 a 2 (a 4 a [illegible]) [illegible] b [illegible] b [illegible] a [illegible] b [illegible] a [illegible] b [illegible] a [illegible]

[illegible]

4. Summary

[illegible]