

Abstract:

• % 1----\_1 ጥ % 5 t I 5 -,%- , .%1 (<sub>7</sub> t -1- (-Tab 1, 🦡 F 2 -1. Ŗ τĨ 11 NIT %. 1 . 1,%1-+ ,%**1** τī \_% "**%** (.<sup>9</sup>. pl 1 1 ٩. Tab \ 2, pÌ. ~n 1 .....



).



Tab 3,  $d_{1}$ Tab 3,  $d_{1}$ Tab 3,  $d_{1}$ Tab 4,  $d_{1}$ Tab 4,  $d_{2}$ Tab 4,  $d_{3}$ Tab 5,  $d_{3}$ Tab 5,  $d_{3}$ 

P. 1.  $\frac{1}{2}$ 

- P. 1.  $\sqrt{2}$   $\sqrt{2}$  $\sqrt{2}$
- 4.1  $\mathbf{F}$  aby  $\mathbf{P}$  or  $\mathbf{I}$ ,  $\mathbf{C}$ ,  $\mathbf{M}$   $\mathbf{P}$  or  $\mathbf{I}$ ,  $\mathbf{P}$  or  $\mathbf{I}$   $\mathbf{P}$  or  $\mathbf{I}$ ,  $\mathbf{P}$  or  $\mathbf{I}$ ,  $\mathbf{P}$  $\mathbf{I}$ ,  $\mathbf{P}$  or  $\mathbf{I}$ ,  $\mathbf{I$